



# MOBILE ELEVATING PLATFORMS

*MODEL*  
**SL60 D**





# MODEL SL60 D

Engine: **YANMAR / KUBOTA**

Power: **18 kW**

Certification: **Stage 5**

Fuel Tank: **50 l**

Fuel Type: **Diesel**

Hydraulic Oil Tank: **50 l**

Track Type: **Rubber**

Platform Leveling:  
**Operator / Automatic**

Hydraulic Control Valve:  
**Mechanical**

Directional Control System:  
**Hydraulic Joystick**

Two-Speed Drive System: **Yes**

Work Light: **Yes**

Emergency Ground Stop: **Yes**

Automatic Tilt Control: **Yes**

Travel Speed: **4 km/h**

Climbing Capacity: **20°**

Side Slope: **10°**

## DIMENSIONS

Platform Dimensions (LxW): **1200 x 2400 mm**

Maximum Working Height (with operator): **6000 mm**

Maximum Platform Height: **4000 mm**

Travel Height: **2000 mm**

Platform Capacity: **1200 kg**


Overall Length: **3050 mm**

Overall Width: **1940 mm**

Total Weight: **3250 kg**

Front and Rear Tilt Angle: **±10°**

Lateral Tilt Angle (Left/Right): **±10°**



## OPTIONAL EQUIPMENT

*Remote Control  
Pile Driving  
Compressor  
Cabin Tent  
USB Port  
Tractor Kit  
Radio*



# MOBILE ELEVATING PLATFORMS

**MODEL  
TPL60 D**

**LIFTING IN AGRICULTURAL WORK**



+351 251 030 411

[hugo.malheiro@mldglobal.eu](mailto:hugo.malheiro@mldglobal.eu)

+351 939 125 192



# MODEL TPL60 D



## DIMENSIONS

Closed Platform Dimensions (WxL): **1000 x 3000 mm**

Open Platform Dimensions (WxL): **1500 x 4000 mm**

Maximum Working Height (with operator): **6500 mm**

Maximum Platform Height: **4500 mm**

Travel Height: **3000 mm**

Platform Capacity: **250 kg**

Length: **3000 mm**

Width: **1000 mm**

Total Weight: **2000 kg**

Front and Rear Tilt Angle: **±10°**

Lateral Tilt Angle (Left/Right): **±10°**

Engine: **YANMAR / KUBOTA**

Power: **18 kW**

Certification: **Stage 5**

Fuel Tank Capacity: **50 l**

Fuel Type: **Diesel**

Hydraulic Oil Tank  
Capacity: **50 l**

Track Type: **Rubber**

Platform Leveling:  
**Operator / Automatic**

Hydraulic Control Valve:  
**Mechanical**

Directional Control System:  
**Hydraulic Joystick**

Two-Speed Drive  
System: **Yes**

Work Light: **Yes**

Toolbox: **Yes**

Ground-Level Emergency  
Stop: **Yes**

Automatic Tilt Control: **Yes**

Travel Speed: **4 km/h**

Climbing Capacity: **20°**

Side Slope Tolerance: **10°**

Adjustable Track Width:  
**1000-1500 mm**

## OPTIONAL EQUIPMENT

**Remote Control**

**Pile Driver**

**Compressor 200 liters / 10 bar**

**Canopy over Platform**

**USB Port**